

REGGIANI TERRA Solution

Digital Printers for Direct Printing on Fabric Water-based Pigment with Binder Inks

EFI Reggiani TERRA for a green, fast and competitive process

Speed up your print process with the EFI Reggiani TERRA solution

Whatever your desired printing capacity is, the EFI[™] Reggiani TERRA solution will scale as per your business needs.

The EFI Reggiani TERRA solution eliminates the need for steaming or washing on direct-to-textile applications using a greener, more efficient polymerisation process that takes place as printed textile goes through the printer's on-board dryer. As a result, users can achieve superior printing results while using less time, water, and energy.



A scalable solution for any business size

EFI Reggiani TERRA printers merge unparalleled reliability coming from long-lasting experience in textile digital printing with cutting-edge innovations for the best results with TERRA pigment.

At a glance

- Enhanced ink system, tailored on EFI Reggiani TERRA pigment
- Drop size from 4 to 72 pl and resolution up to 2400 dpi
- Tailored maintenance system to enhance print head life
- High efficiency dryer specially designed for inline polymerisation
- New printing software allowing real time image processing
- Higher uniformity printing modes
- Increased user friendliness thanks to new multi-language and multi-culture GUI

EFI Reggiani TERRA pigment: inks that feed your need for speed

EFI Reggiani Terra pigment inks deliver excellent fastness properties and high printability sharpness. Designed to leverage EFI Reggiani digital printers' market-proven industrial performance capabilities, these eco-friendly, water-based inks provide an extraordinary level of print durability and yield longer print head life with reduced maintenance costs.

This high-performance digital pigment inks use an innovative binder technology for fast, sustainable, and cost-competitive industrial textile printing on the widest range of fabrics.

Plus, EFI Reggiani TERRA tailored preparations will grant superior print definition, colour intensity, and uncomparable wet and dry fastness.







EFI Reggiani TERRA Silver is the ideal solution to get into the industrial printing segment with a short, smart and green process.

Printer configuration

- Printer production speed up to 190 sqm/h
- Print heads 8, dual channel
- Available in 180 cm printing width
- Fabric feed (entry):
 Roll unwinder up to Ø 400 mm
- Fabric take-up (exit):
 - -Fold
 - Roll winder up to ø 400 mm
 - Fold and roll winder up to ø 400 mm

Polymerisation configuration

- Inline:
 - Polymerisation speed up to 190 sqm/hOne industrial section with three passages
- Offline:
 - One industrial section with one or three passages





EFI Reggiani TERRA Gold is the perfect printer for industrial productivity without compromising on flexibility.

Printer configuration

- Printer production speed up to 325 sqm/h
- Print heads 16
- Available in 180 cm printing width
- Fabric feed (entry):
 - Roll unwinder up to ø 400 mm
 - Big roll unwinder (A frame) up to ø 1,600 mm
- Fabric take-up (exit):
 - -Fold
 - Roll winder up to ø 400 mm
 - Fold and roll winder up to Ø 400 mm

Polymerisation configuration

- Inline:
 - Polymerisation speed up to 325 sqm/h
 - Two industrial sections with three passages
- Offline:
 - One industrial section with three passages

EFI Reggiani TERRA Gold: regulatory model ReNOIR 180





EFI Reggiani TERRA Platinum is the master of technology in EFI Reggiani's printer range and it is the solution for outstanding printing quality and uniformity.

Printer configuration

- Printing width 180-240-340 cm
- Printer production speed up to 565 sqm/h
- Print heads from 16 to 24
- Fabric feed (entry):
 - Small roll unwinder up to Ø 400 mm
 Big roll unwinder (A frame) up to Ø 1,600 mm
 - -Fold
 - Segmented roller

- Fabric take-up (exit):
 - -Fold

Small roll winder up to Ø 400 mm
Fold and small roll winder up to Ø 400 mm
Big roll winder (A frame)

up to ø 1,600 mm

Polymerisation configuration

• Inline:

- Polymerisation speed up to 330 sqm/h

- Two industrial sections with three passages
- Offline:

-One industrial section with three passages

Speed considering 180 version

EFI Reggiani TERRA Platinum: regulatory model ReNOIR 180, ReNOIR 240, ReNOIR 340





EFI Reggiani TERRA Titan is the industrial textile digital printer that ensures extraordinary high performance and productivity, and unparalleled uptime.

Printer configuration

- Printing width 180-240-340 cm
- Printer production speed up to 1020 sqm/h
- Print heads 32
- Fabric feed (entry):
 - Small roll unwinder up to ø 400 mm
 - Big roll unwinder (A frame) up to ø 1,600 mm
 - Fold
 - Segmented roller

- Fabric take-up (exit):
 - Fold
 - Small roll winder up
 - to ø 400 mm
 - Fold and small roll winder up to Ø 400 mm
 Big roll winder (A frame)
 - up to ø 1,600 mm

Polymerisation configuration

- Inline:
 - Polymerisation speed up to 580 sqm/h
 - Two industrial sections with five passages
- Offline:
 - Two industrial sections with three passages

Speed considering 180 version

EFI Reggiani TERRA Titan: regulatory model ReNOIR 180, ReNOIR 240, ReNOIR 340

EFI Reggiani TERRA Pigments are available in the following colours:



Procedure

- Padding with TERRA Preparation
- Printing and curing in line

EFI Reggiani TERRA preparation

Choose the option that best fits your need:

To customise your recipe

- EFI Reggiani TERRA PRIMER to improve printing definition
- EFI Reggiani TERRA PLUS to increase colour intensity
- EFI Reggiani TERRA FIX to raise fastness results

For easy to use application

EFI Reggiani PIGMENT PRE

Fastness properties

*Certified by Centro Tessile Serico Spa Consortile, Como, Italy

Test made on CMYK sample printed on Popeline cotton with 1200 dpi, fi xed in line 160 ° C for 3 minutes

TEST	FASTNESS TO DOMESTIC &	DRY FASTNESS TO	WET FASTNESS TO	FASTNESS
	COMMERCIAL LAUNDERING	RUBBING	RUBBING	TO ARTIFICIAL LIGHT
	UNI EN ISO 105C06	UNI EN ISO 105-X12	UNI EN ISO 105-X12	UNI EN ISO 105B02
СМҮК	4-5	4	3-4	6-7
TEST	FASTNESS TO ACID &	FASTNESS TO	FASTNESS TO	FASTNESS TO SEA
	ALKALINE PERSPIRATION	WATER	CHLORINATED WATER	WATER
	UNI EN ISO 105E04	UNI EN ISO 105E01	UNI EN ISO 105E03	UNI EN ISO 105E02
СМҮК	4-5	4-5	3	4-5

Please note that ink performances may vary according to the type of substrate used in the final application. More fastness details available

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, building materials and personalised documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com/reggiani or call +39 035 3844511 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

AutoCal, Auto-Count, Best Eye, ColorGuard, ColorPASS, ColorRight, ColorWise, Command WorkStation, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Digital StoreFront, Divisional Graphics, Distancing Graphics, DocSuilder, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, FabriVU, Fast-4, FASTRIP, FASTDRIVE, Fiery, the Fiery Pintos, Diecy Driven logo, Fiery DesignPro, Fiery Edge, Fiery Impose, Fiery ImageViewer, Fiery Intensify, Fiery JobExpert, Fiery JobExpert, Fiery JobMaster, Fiery JobMaster, Fiery Navigator, Fiery Porty, the Fiery Prints Iogo, Freerom, GameSys, Hagen, Inktensity, Inkware, IQ, Qiuote, LapNet, Lector, Logic, MarketDirect StoreFront, MarketDirect VDP, MarketDirect Cross Media, Metrics, Metrix, MicroPress, Monarch, Monarch Planner, OneFlow, Optima, Optima, Optima, Piace, Pecas, Pecas Vision, PC-Topp, PressVu, PrinterSite, PrintSHow, PrintSmith Vision, PrintStream, Profile®, Process Shipper, Prograph, ProGraphics, PSI, PSI Flexo, Radius, RIPChips, RIP-While-Print, SafeGuard Graphics, Spot-On, Spot Pro, Synchro 7, Technique, UltraProp, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEk, the VUTEk logo, and WebTools are trademarks or registered trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the

All other terms and product names may be trademarks or registered trademarks of their respective owners and are hereby acknowledged

© 2021 ELECTRONICS FOR IMAGING, INC. ALL RIGHTS RESERVED. | WWW.EFI.COM